

# LASH STUFF LLC

175 25<sup>TH</sup> Street STE 101 Ogden Utah 84401 USA

TEL: 18445274788

## MATERIAL SAFETY DATA SHEET

### 1. PRODUCT IDENTIFICATION

**-Product Name:** Gel Adhesive Remover

**-Supplier:** Lash Stuff LLC

**-Address:** 175 25<sup>th</sup> Street STE 101 Ogden Utah 84401 USA

**-Emergency Phone Number:** 18445274788

**-E-mail address:** support@lashstuff.com

### 2. COMPOSITION / INFORMATION ON INGREDIENTS.

No.	INGREDIENTS
1	Gamma Butyrolactone
2	Glycerin
3	HPC(Hydroxypropylcellulose)

### 3. HAZARD IDENTIFICATION

**Appearance :** colorless gel type

**Potential Heath Effects**

**Eye :** May cause eye irritation.

**Skin :** May cause skin irritation.

**Ingestion :** May cause digestive tract disturbances. The toxicological properties of this substance have not been fully investigated. May be harmful if swallowed.

**Inhalation :** May cause respiratory tract irritation. The toxicological properties of this substance have not been fully investigated.

**Chronic :** No information found.

### 4. FIRST AID MEASURES

**Eyes :** Flush eyes with plenty of water.

**Skin :** Flush skin with plenty of soap and water.

**Ingestion :** If victim is conscious and alert, give 2-4 cupfuls of milk or water. Never give anything by mouth to an unconscious person. Get medical aid immediately.

**Inhalation :** Get medical aid immediately. Remove from exposure to fresh air immediately. if not breathing, give artificial respiration. if breathing is difficult, give oxygen.

**Notes to Physician :** Treat symptomatically and supportively.

**Antidote :** None reported.

### 5. FIRE FIGHTING MEASURES

**General Information :** As in any fire, wear a self-contained breathing apparatus in pressure demand, MSHA/NIOSH (approved or equivalent), and full protective gear. During a fire, irritating and highly toxic gases may be generated by thermal decomposition or combustion.

**Extinguishing Media :** In case of fire, use water, dry chemical, chemical foam, or alcohol-resistant foam.

**Flash Point :** 98 deg C (208.40 deg F)

**Auto ignition Temperature :** 455 deg C (851.00 deg F)

**Explosion Limits, Lower :** 3.60 vol % **Upper :** 16.00 vol %

**NFPA Rating :** (estimated) Health : 1; Flammability : 1; Instability : 0

### 6. ACCIDENTAL RELEASE MEASURES

**General Information:** Use proper personal protective equipment as indicated in Section 8.

**Spills/Leaks :** Absorb spill with inert material (e.g. vermiculite, sand or earth), then place in suitable container. Clean up spills immediately, observing precautions in the Protective Equipment section. Provide ventilation.

### 7. HANDLING AND STORAGE

**Handling:** Wash thoroughly after handling. Remove contaminated clothing and wash before reuse. Use with adequate ventilation. Avoid contact with eyes, skin, and clothing. Keep container tightly closed.

Avoid ingestion and inhalation.

**Storage:** Keep container closed when not in use. Store in a cool, dry, well-ventilated area away from incompatible substances. Keep containers tightly closed. Store protected from moisture.

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

**Engineering Controls:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower. Use process enclosure, local exhaust ventilation, or other engineering control airborne levels.

**Exposure Limits :**

**ACGIH :** none listed

**NIOSH :** none listed

**OSHA :** none listed

Personal Protective Equipment

**Eyes:** Wear appropriate Protective eyeglasses or chemical safety goggles as described by OSHA's eye and face protection regulations in 29 CFR 1910.133 or European Standard EN166.

**Skin:** Wear appropriate gloves to prevent skin exposure.

**Clothing:** Wear appropriate protective clothing to prevent skin exposure.

**Respirators:** Follow the OSHA respirator regulations found in 29CFR 1910.134 or European Standard EN 149. Always use a NIOSH or European Standard EN 149 approved respirator when necessary.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

**Physical State:** Gel

**Appearance:** Colorless

**Odor:** scentless

**pH:** Not available.

**Vapor Pressure:** 1.5hPa @ 20C

**Vapor Density:** 3.0

**Evaporation Rate:** Not available.

**Viscosity:** 15,000-20,000cps

**Boiling Point :** 230 dec C

**Freezing/Melting Point:** -45 deg C

**Decomposition Temperature:** Not available.

**Solubility:** Miscible.

**Specific Gravity/Density:** 1.1200g/cm<sup>3</sup>

**Molecular Formula:** C<sub>4</sub>H<sub>6</sub>O<sub>2</sub> Molecular Weight: 86.09

## 10. STABILITY AND REACTIVITY

**Chemical Stability :** Stable under normal temperatures and pressures.

**Conditions to Avoid :** Incompatible materials, strong oxidarits.

**Incompatibilities with Other Materials :** Strong oxidizing agents - strong acids - strong bases - strong reducing agents.

**Hazardous Decomposition Products :** Carbon monoxide, irritating and toxic fumes and gases, carbon dioxide.

**Hazardous Polymerization :** Has not been reported.

## 11. TOXICOLOGICAL INFORMATION

**Toxicity :** Eye irritant. Anesthetic. Moderately toxic by ingestion. Residue after Evaporation of solvent is destructive to tissue of the mucous membranes, and upper respiratory tract, eyes, and skin

**Signs and symptoms of exposure :** Dizziness, anesthesia, unconsciousness.

**Existing conditions aggravated by exposure :** None known

## 12. ECOLOGICAL INFORMATION

No information available.

## 13. DISPOSAL INFORMATION

**Disposal :** Dispose of unused product or contaminated product and materials used in cleaning up spills or leaks in a manner approved for this material. Consult appropriate federal, state and local regulatory agencies to ascertain proper

disposal procedures.

#### **14. TRANSPORT INFORMATION**

IATA : Dangerous goods class: "Not restricted"

#### **15. REGULATORY INFORMATION**

CA Proposition 65 : No California proposition 65 chemicals are known to be present.

#### **16. OTHER INFORMATION**

The information contained herein is based upon data and information available to us, and reflects our best professional judgment, but is offered without guarantee or warranty. This information is furnished upon the condition that the person receiving it shall make his own determination of the suitability of the material for his particular use.