Material Safety Data Sheet

Issued Date: May 2, 2024

<u>Section 1: Chemical Product and Company Identification</u>
Product Name: Lash Lift Fixing Lotion-Sodium Bromate Free

Product Type: Cosmetic Product intended for skin care.

Chemical Name: Chemical Mixture

Company Address:

Lash Stuff LLC 175th Street STE 101 Ogden, Utah 84401 Contact Information

Telephone: 1-844-527-4788 Website: <u>www.lashstuff.com</u>

Section 2: Composition/information

Hazard statement Harmful when it is swallowed. Irritating to eyes, respiratory system and skin.

Section 3: Hazard identification

INCI:Aqua (Water), Cetearyl Alcohol, Hydrogen Peroxide, Ceteareth-20, Paraffinum Liquidum, Glycerin, Panthenol, Simethicone, Laureth-3, Sodium Lauryl Sulfate, Disodium Pyrophosphate, Sodium Stannate, Phosphoric Acid, Polysorbate 20, Parfum (Fragrance).

Section 4: First Aid Measure

4.1. Description of first aid measures.

EYES: Remove contact lenses, if present. Wash immediately with plenty of water for at least 30-60 minutes, opening the eyelids fully. Get medical advice/attention.

SKIN: Remove contaminated clothing. Rinse skin with a shower immediately. Get medical advice/attention.

INGESTION: Have the subject drink as much water as possible. Get medical advice/attention. Do not induce vomiting unless explicitly authorized by a doctor.

INHALATION: Get medical advice/attention immediately. Remove the victim to fresh air, away from the accident scene. If the subject stops breathing, administer artificial respiration. Take suitable precautions for rescue worker

4.2. Most important symptoms and effects, both acute and delayed Specific information on symptoms and effects caused by the product are unknown. 4.3. Indication of any immediate medical attention and special treatment needed Paraffinum liquidum in case of problems consult your doctor

Section 5: Fire prevention Measures

Suitable fire extinguishers: The extinguishing equipment should be of the conventional kind: carbon dioxide, foam, powder and water spray. UNSUITABLE EXTINGUISHING EQUIPMENT None in particular. **Firefighting Instructions:** Use jets of water to cool the containers to prevent product decomposition and the development of substances potentially hazardous for health. Always wear full fire prevention gear. Collect extinguishing water to prevent it from draining into the sewer system. Dispose of contaminated water used for extinction and the remains of the fire according to applicable regulations

Section 6: Accidental Release Measures

- 6.1. Personal precautions, protective equipment and emergency procedures Block the leakage if there is no hazard. Wear suitable protective equipment to prevent any contamination of skin, eyes and personal clothing. These indications apply for both processing staff and those involved in emergency procedures.
- 6.2. Environmental precautions The product must not penetrate into the sewer system or come into contact with surface water or groundwater.
- 6.3. Methods and material for containment and cleaning up Collect the leaked product into a suitable container. Absorb the remainder with inert absorbent material. Make sure the leakage site is well aired. Contaminated material should be disposed of.

Section 7: Handling and storage

Precautions for safe handling

Ensure that there is an adequate earthing system for the equipment and personnel. Avoid contact with eyes and skin. Do not breathe powders, vapors or mists. Do not eat, drink or smoke during use. Wash hands after use. Avoid leakage of the product into the environment.

Conditions for safe storage, including incompatibilities

Store only in the original container. Store in a ventilated and dry place, far away from sources of ignition. Keep containers well sealed. Keep the product in clearly labeled containers. Avoid overheating. Avoid violent blows.

Section 8: Control of exposure/personal protection

As the use of adequate technical equipment must always take priority over personal protective equipment, make sure that the workplace is well aired through effective local aspiration. When choosing personal protective equipment, ask your chemical substance supplier for advice. Personal protective equipment must be CE marked, showing that it complies with applicable standards.

HAND PROTECTION Protect hands with category III work gloves . The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability. The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration

SKIN PROTECTION Wear category I professional long-sleeved overalls and safety footwear. Wash body with soap and water after removing protective clothing.

EYE PROTECTION Wear airtight protective goggles

RESPIRATORY PROTECTION If the threshold value is exceeded for the substance or one of the substances present in the product, use a mask with a type A filter whose class must be chosen according to the limit of use concentration. In the presence of gasses or vapors of various kinds and/or gasses or vapors containing particulate (aerosol sprays, fumes, mists, etc.) combined filters are required. Respiratory protection devices must be used if the technical measures adopted are not suitable for restricting the worker's exposure to the threshold values considered. The protection provided by masks is in any case limited. If the substance considered is odorless or its olfactory threshold is higher than the corresponding and in the case of an emergency, wear open-circuit compressed air breathing apparatus or external air-intake breathing apparatus.

ENVIRONMENTAL EXPOSURE CONTROLS The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

Section 9: Physical and Chemical Properties

Appearance Emulsion Color white Odor characteristic Odor threshold Not available pH Not available Melting point / freezing point Not available Initial boiling point Not available Boiling range Not available Flash point Not available Evaporation rate Not available Flammability (solid, gas) Not available Lower inflammability limit Not available Upper inflammability limit Not available Lower explosive limit Not available Upper explosive limit Not available Vapor pressure Not available

Vapor density Not available
Relative density Not available
Solubility Not available
Partition coefficient: n-octanol/water Not available
Auto-ignition temperature Not available
Decomposition temperature Not available
Viscosity Not available
Explosive properties Not available
Oxidizing properties Not available

Section 10: Stability and Reactivity

10.1. Reactivity

HYDROGEN PEROXIDE SOLUTION

Decomposes if exposed to: light,heat.Decomposes on contact with: alkaline metals.Possibility of explosion.

Ceteareth-20 Stable in normal conditions of use and storage.

- 10.2. Chemical stability Information not available
- 0.3. Possibility of hazardous reactions The product may react violently with water.
- 10.4. Conditions to avoid overheating. Prevent moisture or water from penetrating inside the containers. HYDROGEN PEROXIDE SOLUTION

Avoid exposure to: light, heat. Avoid contact with: alkaline substances.

Ceteareth-20 Avoid exposure to: strong heating, sources of heat, high temperatures, air.

10.5 Hazardous decomposition products

Ceteareth-20

When heated beyond the melting point can release: carbon dioxide, carbon monoxide.

Section 11: Toxicological Information

Toxicity: In the absence of experimental data for the product itself, health hazards are evaluated according to the properties of the substances it contains, using the criteria specified in the applicable regulation for classification. It is therefore necessary to take into account the concentration of the individual hazardous substances indicated in section 3, to evaluate the toxicological effects of exposure to the product.

Section 12: Ecological Information

- 12.1. Toxicity Paraffinum liquidum LC50 for Fish > 100 mg/l/96h Fish-rainbow trout
- 12.2. Persistence and degradability HYDROGEN PEROXIDE SOLUTION Solubility in water 100000 mg/l Rapidly degradable Paraffinum liquidum Degradability: information not available
- 12.3. Bioaccumulative potential HYDROGEN PEROXIDE SOLUTION Partition coefficient: n-octanol/water 1,57
- 12.4. Mobility in soil Information not available
- 12.5. Results of PBT and vPvB assessment On the basis of available data, the product does not contain any PBT or vPvB in percentage ≥ than 0,1%.
- 12.6. Other adverse effects Information not available

Section 13: Disposable Consideration

13.1. Waste treatment methods Reuse, when possible. Neat product residues should be considered special non-hazardous waste. Disposal must be performed through an authorized waste management firm, in compliance with national and local regulations.

CONTAMINATED PACKAGING Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

Disposal:

Section 14: Transport Consideration

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

Section 15: Other information

NA